

FIELD CLIP EXTRUSION FIELD OR SHOP CUT TO 6", FIELD MOUNTED TO SUBSTRATE @ 16" O.C. W/ 2 - #10 / #12 x 1 ½" SELF TAPPING STAINLESS SCREWS APPLY SHIMS BENEATH AS REQUIRED




MODIFIED CLIP EXTRUSION

FIELD CUT TO FIT AS REQUIRED MOUNTED IN FULL LENGTH SECTIONS @ 16" O.C. CAN BE USED AT: STARTER, JAMB, SILL, END WALL #10 / #12 X 1 ½" SELF TAPPING STAINLESS SCREW




SILL CLIP EXTRUSION

FIELD CUT TO FIT AS REQUIRED MOUNTED IN FULL LENGTH SECTIONS @ 16" O.C. CAN BE USED AT: STARTER, JAMB, SILL #10 / #12 X 1 ½" SELF TAPPING STAINLESS SCREW



STIFFENER EXTRUSION



FRAME EXTRUSION



2529 W. Jackson St. Phoenix, AZ 85298 PHONE: (602) 275–1676 FAX: (602) 275–1739

S SCALE: NTS

7/24/14

TYPICAL SYSTEM EXTRUSIONS

SYSTEM = 1/8" ALUMINUM - AP400

1

