


ACM SERIES A1000NF Non-Exposed Fastener Dry Seal Rainscreen





6

'///,

6

6


SIM

6

Visage

SCALE: NTS

7/24/14





SILL CLIP EXTRUSION

FIELD CUT TO FIT AS REQUIRED

MOUNTED IN FULL LENGTH SECTIONS @ 16" O.C.

CAN BE USED AT: STARTER, JAMB, SILL


#10 / #12 X 1 ½" SELF TAPPING STAINLESS SCREW



FIELD CLIP EXTRUSION

FIELD OR SHOP CUT TO 6", FIELD MOUNTED TO SUBSTRATE @ 16" O.C.

W/ 2 - #10 / #12 x 1 $\frac{1}{2}$ " SELF TAPPING STAINLESS SCREWS APPLY SHIMS BENEATH AS REQUIRED




STIFFENER EXTRUSION



MODIFIED CLIP EXTRUSION

FIELD CUT TO FIT AS REQUIRED MOUNTED IN FULL LENGTH SECTIONS @ 16" O.C. CAN BE USED AT: STARTER, JAMB, SILL, END WALL #10 / #12 X 1 $\frac{1}{2}$ " SELF TAPPING STAINLESS SCREW




FRAME EXTRUSION



2529 W. Jackson St. Phoenix, AZ 85298

PHONE: (602) 275-1676 FAX: (602) 275-1739 TYPICAL SYSTEM EXTRUSIONS

SCALE: NTS 7/24/14






2529 W. Jackson St. Phoenix, AZ 85298

PHONE: (602) 275-1676 FAX: (602) 275-1739

SCALE: NTS

7/24/14






2529 W. Jackson St. Phoenix, AZ 85298


PHONE: (602) 275-1676 FAX: (602) 275-1739


SCALE: NTS

TYP HORIZONTAL REVEAL

7/24/14







Visage

2529 W. Jackson St. Phoenix, AZ 85298


PHONE: (602) 275-1676 FAX: (602) 275-1739


SCALE: NTS


TYPICAL INSIDE CORNER DETAIL

7/24/14 SYSTEM = 4MM A1000

4









FAX: (602) 275-1739

7/24/14







2529 W. Jackson St. Phoenix, AZ 85298

PHONE: (602) 275-1676 FAX: (602) 275-1739

SCALE: NTS

7/24/14 SYSTEM = 4MM A1000

